

All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).

Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 Website: <https://www.aicte-india.org>



APPROVAL PROCESS 2018-19

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE(CI) - Applicable for Existing Institutes only

Regional Office		Northern	
Application Id	1-3511888170	Permanent Id	1-518179761
Name of the Institute	GOVERNMENT POLYTECHNIC UNNAO	Address	DAHI CHOWKI
City/Village	UNNAO	District	UNNAO
State	Uttar Pradesh	Pin	209801

Overall Deficiency of Institute: **Yes**

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	PEEYUSH SHAKYA	Regular	B.E., ME,	

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	No	Yes
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Approved Intake (For Total duration of the Courses)

(i)	Approved Intake UG	0
(ii)	Approved Intake PG	240
(iii)	Approved Intake DIPLOMA	480
Total Approved Intake (UG+PG+DIPLOMA)		720

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	14	40	Yes

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	32	30	No
Board Room	0	20	Yes
Office All Inclusive	96	150	Yes
Department Offices/Cabin for Head of Dept	30	60	Yes
Central Store	108	30	No
Maintenance	10	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	0	10	Yes
Exam Control Office	10	30	Yes
Training Placement Office	77	30	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Payment Not Applicable**

Report Generated on :-13/02/2018

Amenities Area			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	0	75	Yes
Girls Common Room	0	75	Yes
Cafeteria	0	150	Yes
Stationery Store	0	10	Yes
First aid cum Sick Room	0	10	Yes

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth	2	16	Yes
Printers	11	8	No
A1 size Color Printers	0	0	No
Legal Application S/W	11	20	Yes
Legal System S/W	3	3	No
PCs to Student ratio	125	150	Yes

Library Facilities			
Type	Available	Required	Deficiency
Volumes	3417	13925	Yes
Titles	683	2575	Yes
National Journals	4	19	Yes
Library Management Software	0	1	Yes
Reading Room Capacity	40	141	Yes
MultiMediaPC	0	6	Yes

Instructional Area-Common Facilities			
Type	Available	Required	Deficiency
Computer Center	248	150	No
Library & Reading Room	211	400	Yes
Language Laboratory	0	66	Yes

Land Area Details			
Type	Available	Required	Deficiency
Total Area of Land	12.54	4	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	12.54	4	No

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Rooms - PG	POST GRADUATE	75	66	No
Laboratories-All	UG/PG	0	252	Yes
Workshops - Basic	UG/PG	200	200	No
Drawing Halls	UG/PG	150	132	No
Seminar Hall	UG/PG	150	264	Yes

ENGINEERING AND TECHNOLOGY-Diploma / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
ClassRooms	Diploma/Post Diploma	601	462	No
Tutorial Room	Diploma/Post Diploma	120	66	No
Additional Workshop/Labs	Diploma/Post Diploma	0	0	No
Laboratories	Diploma/Post Diploma	1200	990	No
Workshops - Basic	Diploma/Post Diploma	200	200	No
Drawing Halls	Diploma/Post Diploma	150	132	No
Seminar Hall	Diploma/Post Diploma	150	132	No

Other Facilities			
Sr. No.	Type	Availability	Deficiency

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Payment Not Applicable**

Report Generated on :-13/02/2018

1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No
3	Electric Supply	Yes	No
4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	No	Yes
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	No	Yes
26	Implementation ofUnnat Bharat Abhiyan	No	Yes
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	No	Yes
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities				
Type	Available	Required	Deficiency	
Internet Bandwidth-Applied Intake	2	32	Yes	
Printers-Applied Intake	11	8	No	
A1 size Color Printers-Applied Intake	0	0	No	
Legal Application S/W-Applied Intake	11	20	Yes	
Legal System S/W-Applied Intake	3	3	No	
PCs to Student ratio-Applied Intake	125	150	Yes	

Library Facilities				
Type	Available	Required	Deficiency	
Volumes	3417	13925	Yes	
Titles	683	2650	Yes	
National Journals	4	19	Yes	
Library Management Software	0	1	Yes	
Reading Room Capacity	40	141	Yes	
MultiMediaPC	0	6	Yes	

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Payment Not Applicable**

Report Generated on :-13/02/2018

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Rooms - PG	POST GRADUATE	75	99	Yes
Laboratories-All	UG/PG	0	252	Yes
Workshops - Basic	UG/PG	0	0	No
Drawing Halls	UG/PG	0	0	No
Seminar Hall	UG/PG	0	66	Yes

ENGINEERING AND TECHNOLOGY-Diploma / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
ClassRooms	Diploma/Post Diploma	601	462	No
Tutorial Room	Diploma/Post Diploma	120	66	No
Laboratories	Diploma/Post Diploma	1200	1188	No
Additional Workshop/Labs	Diploma/Post Diploma	0	0	No
Workshops - Basic	Diploma/Post Diploma	200	200	No
Drawing Halls	Diploma/Post Diploma	150	132	No
Seminar Hall	Diploma/Post Diploma	150	132	No

Note

- XX- No Rooms Available
- DNA- Data Not Available / Insufficient Data
- Blank Field-Data Not Entered
- * Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable
- ^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable
- ** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable
- *** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable
- ***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Not Applicable**

Report Generated on :-13/02/2018

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : aic004478